

Initial Certification: 03 December 2024
Valid to: 02 December 2029

Revised: 26 March 2026
Issue No: 3

Issued by **IFC Certification Ltd** part of the Kiwa UK Group

This is to certify that

MWW Woodwork Ltd

Areos Stoa Kitromilidi
Nicosia, 1015
Cyprus
Tel: +357 99856546

Who fabricate the following timber fire doors and or doorsets:

Halspan EI30, EI60.
Strebord EI30, EI60.

has satisfied the requirements of the SDP 01 Timber Fire Door scheme v3.9. This includes the testing of products to **BS EN1634-1:2014+A1:2018** the inspection of Factory Production Control and continuing surveillance audits and testing of samples of products taken from production. The product specification and field of application to achieve **from 30 minutes to 60 minutes integrity & insulation** are detailed on page 2 of this certificate.



David Mowatt
Head of IFC Certification /
Kiwa UK

This certificate consists of 2 pages. Publication of this certificate is permitted



The production of fire-resistant timber doorsets are manufactured in accordance with the assessment/ test reports referenced within the following table:

Product Description	Fire Rating	Assessment/ Test Report
Halspan 30	30 minutes	01509289SHJ-001 Rev 01
Halspan 60	60 minutes	01509289SHJ-002 Rev 01
Strebord 44	30 minutes	BMT/CNA/F14053
Strebord 54	60 minutes	BMT/CNA/F14054

Signed on behalf of Kiwa UK



David Mowatt
Head of IFC Certification /
Kiwa UK

The scope of the certification is limited to the details and parameters contained within these reports and all aspects of the specification and limitations defined therein must be satisfied.

It is the certificate holder's responsibility to ensure that the latest version/ revision of the above assessment reports are maintained as part of the audited FPC system.

Failure to comply with all specifications will invalidate the certification and may jeopardise the fire performance.